

Product Conformity Certification
Appendix



Issued to

Wienerberger Ltd

Kingsbury Works, Rush Lane, Dosthill, Nr. Tamworth, Staffordshire, B77 1LT

Products names for which the use of the Shield Mark is granted

Group 1

Dimensions Deviations (EN 772-16) 215x102.5x65 & 73mm - T2 R1 / Water Absorption (EN 772-7) - $\leq 7\%$ / Compressive Strength (EN772-1) - ≥ 75 N/mm² / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated - 20-25%

Group 2

Dimensions Deviations (EN 772-16) 215x102.5x65 & 73mm - T2 R1 / Water Absorption (EN 772-7) - $\leq 7\%$ / Compressive Strength (EN 772-1) - ≥ 75 N/mm² / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated - 23-28%

Group 3

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-7) - $\leq 7\%$ / Compressive Strength (EN 772-1) - ≥ 75 N/mm² / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Solid

Group 4

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-7) - $\leq 7\%$ / Compressive Strength (EN 772-1) - ≥ 75 N/mm² / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Solid

Group 5

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-7) - $\leq 4.5\%$ / Compressive Strength (EN 772-1) - ≥ 125 N/mm² / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Solid

Signed for and on behalf of Lucideon CICS Limited

Authorised Signatory



Certificate No: PC 051
Date of Issue: 01 January 2017
Date of Expiry: 31 December 2017
Issue: 1: 01 January 2017
Page: 1 of 2



The use of the Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate no.0006.

This Certificate of Registration is granted subject to conformance with the conditions of contract governing the registration.

Further clarifications regarding the scope of this certificate may be obtained by consulting the organisation.

Lucideon CICS Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ, UK

T +44 (0)1782 411008
support@lucideon.com
www.lucideon.com
Reg. England 1871628



Product Conformity Certification
Appendix

LUCIDEON

Issued to

Wienerberger Ltd

Kingsbury Works, Rush Lane, Dosthill, Nr. Tamworth, Staffordshire, B77 1LT

Products names for which the use of the Shield Mark is granted

Group 6

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-21) - $\leq 10\%$ / Compressive Strength (EN 772-1) - ≥ 50 N/mm² / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 27-32%


Group 7 (Fireclay Body)

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-21) - $\leq 10\%$ / Compressive Strength (EN 772-1) - ≥ 50 N/mm² / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 27-32%

Group 8 (Fireclay / Etruria Marl Body)

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-21) - $\leq 10\%$ / Compressive Strength (EN 772-1) - ≥ 45 N/mm² / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 27-32%

Signed for and on behalf of Lucideon CICS Limited



Authorised Signatory



Certificate No: PC 051
Date of Issue: 01 January 2017
Date of Expiry: 31 December 2017
Issue: 1: 01 January 2017
Page: 2 of 2



The use of the Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate no.0006.

This Certificate of Registration is granted subject to conformance with the conditions of contract governing the registration.

Further clarifications regarding the scope of this certificate may be obtained by consulting the organisation.

Lucideon CICS Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ, UK

T +44 (0)1782 411008
support@lucideon.com
www.lucideon.com
Reg. England 1871628

LUCIDEON