

**Product Conformity Certification**  
Appendix



Issued to

**Wienerberger Ltd**

Denton Works, Windmill Lane, Denton, Manchester, M34 2JF

Products names for which the use of the Shield Mark is granted

**Group 1 - Red Body**

Dimensions Deviations (EN 772-16) 215x102.5x65 & 73mm - T2 R1 / Water Absorption (EN 772-21) -  $\leq$  12% / Compressive Strength (EN 772-1) -  $\geq$  40.0 N/mm<sup>2</sup> / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 25-30%

**Group 2 - Cream Body**

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-21) -  $\leq$  8% / Compressive Strength (EN 772-1) -  $\geq$  50.0 N/mm<sup>2</sup> / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 25-30%

**Group 3 - Buff Body**

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-21) -  $\leq$  10% / Compressive Strength (EN 772-1) -  $\geq$  50.0 N/mm<sup>2</sup> / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 25-30%

**Group 4 - Buff Body**

Dimensions Deviations (EN 772-16) 215x102.5x65mm - T2 R1 / Water Absorption (EN 772-21) -  $\leq$  12% / Compressive Strength (EN 772-1) -  $\geq$  45.0 N/mm<sup>2</sup> / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 25-30%

**Group 6 - Class B Engineering**

Dimensional Deviations (EN 772-16) 215x102.5x65 & 73mm - T2 R1 / Water Absorption (EN 772-7) -  $<$  7% / Compressive Strength (EN 772-1) -  $\geq$  75 N/mm<sup>2</sup> / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 27-32%

**Group 7 - Red Body**

Dimensional Deviations (EN 772-16) 215x102.5x65 & 73mm - T2 R1 / Water Absorption (EN 772-21) -  $<$  12% / Compressive Strength (EN 772-1) -  $\geq$  40 N/mm<sup>2</sup> / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 25-30%

**Group 8 - Red Body**

Dimensional Deviations (EN 772-16) 215x102.5x73 - T2 R1 / Water Absorption (EN 772-21) -  $<$  12% / Compressive Strength (EN 772-1) -  $\geq$  40 N/mm<sup>2</sup> / Soluble Salts (EN 772-5) S2 / Voids (EN 772-9) - Perforated 25-30%

Signed for and on behalf of Lucideon CICS Limited

Authorised Signatory

<b>Certificate No:</b>	PC 048
<b>Date of Issue:</b>	01 January 2017
<b>Date of Expiry:</b>	31 December 2017
<b>Issue:</b>	3: 13 March 2017



The use of the Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate no.0006.

This Certificate of Registration is granted subject to conformance with the conditions of contract governing the registration.

Further clarifications regarding the scope of this certificate may be obtained by consulting the organisation.

Lucideon CICS Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire ST4 7LQ, UK

T +44 (0)1782 411008  
support@lucideon.com  
www.lucideon.com  
Reg. England 1871628

