



Chilton Red

# Modula

## Double Roman Clay Tile

This double roman clay tile brings the ease and speed of installation of a concrete tile, while offering the aesthetics that only a natural tile can bring.



# Modula: Double Roman Clay Tile

## Features and benefits:

- Easy to lay interlocking clay tile
- Natural & colour-permanent clay tile
- Reduces completion times
- Performs at pitches down to 22.5°

TECHNICAL DATA	
Minimum roof pitch*	17.5° @ 100 mm headlap 22.5° @ 75 mm headlap
Headlap (minimum)	75 mm
Headlap (maximum)	120 mm
Batten spacing at maximum gauge	370 mm
Batten spacing at minimum gauge	325 mm
Size of tile	445 x 330 mm
Covering capacity at maximum gauge	9.7 tiles per m <sup>2</sup> (at 100 mm headlap); 9.0 tiles per m <sup>2</sup> (at 75 mm headlap)
Cover width	300 mm
Profile depth	54 mm
Hanging length	416 mm
Weight as laid	40.7kg per m <sup>2</sup> (at 100 mm headlap); 37.8kg per m <sup>2</sup> (at 75 mm headlap)
Weight per 1000	4.2 tonnes
Weight per tile	4.2 kg
Weight per pallet (including pallet & packaging)	1.0 tonnes
Quantity per pallet	240
Battens per m <sup>2</sup>	2.9 m (at 100 mm headlap) 2.7 m (at 75 mm headlap)
Batten size - up to 450 mm rafter centres	38 x 25 mm
Batten size - up to 600 mm rafter centres	50 x 25 mm
Nail size/type for tiles	45 x 3.35 mm aluminium ring shank clout head
Nail size/type for metal tile clips	Integrated with clip

Note: Unless otherwise stated, data is based on tiles laid at minimum headlap. Clay tiles are subject to small variations in size because of drying and firing shrinkage in the manufacturing process. Therefore, before deciding on the batten gauge and cover width, the roof tiler should inspect each batch of tiles to ensure that the correct minimum headlap and sidelap are achieved. Please contact Sandtoft Technical Services for further information.

## Sandtoft Roof Tiles

Belton Rd  
Sandtoft  
Doncaster  
DN8 5SY

T 0844 9395 900

F 0844 9395 950

sandtoftorders@wienerberger.com

www.sandtoft.com

www.wienerberger.com

## THE RANGE



■ Samples available on request